

Dealer Tools & Parts

This document contains Tools and Parts installers and service providers need to have available for working on the Idle Free system. Explanations for each are on the right side of each item.

These items are available from Idle Free at near cost. If you have these parts you are good, if you wish to purchase these on your own we have included the internet address to see and/or purchase on your own.

Clamp AMP Meter

http://imperialsupplies.com/item/9126484

Must be a DC Voltage Clamp Meter Must be able to measure up to 200 AMPS, DC

Condenser Fan, temporary, (purchase from Idle Free only) IFS Part #34008

Clamp AMP Meter is used for system testing and system diagnostics (Service).

Condenser Fan, temporary is used for operating the air conditioner without the exterior cover in place, (Testing & Service).

Hydraulic Crimper, hand held

http://www.harborfreight.com/hydraulic-wire-crimping-tool-66150.html

Item: Central Hydraulics, #66150, Harbor Freight item

IFS Lug Repair Kit, includes

Lugs

http://imperialsupplies.com/item/0061330

6133, 2GA 5/16 STUD BATTERY LUG, PKG of 10

http://imperialsupplies.com/item/0718620

71862, 2GA, 3/8 Stud Battery Lug, PKG of 10

http://imperialsupplies.com/item/0718610

71861, 4GA, 3/8 Stud, Battery Lug, PKG of 10

http://imperialsupplies.com/item/0718840

71884, 4GA 5/16 STUD BATTERY LUG, PKG of 10

http://imperialsupplies.com/item/0718790

71879, 4GA 1/4 STUD BATTERY LUG, PKG of 10

Heat Shrink

http://imperialsupplies.com/item/0717390

71739, SEAL-A-SPLICE II 1x2-1/2 RED, PKG of 10

http://imperialsupplies.com/item/0717400

71740, SEAL-A-SPLICE II 1x2-1/2 BLACK, PKG of 10

Ring Terminal

http://imperialsupplies.com/item/0709150

70915, CRMP SLDR SEAL 10-12GA #10 RNG, PKG of 10

Hydraulic Crimper is used for adding lugs to the cables, Installation & Service. This is a great tool that is not expensive.

Lugs, Cable ends, are required for service only. All new systems will be shipped with the needed lugs in place or available to be crimped on (available from IFS).

Heat Shrink, Red & Black, is required for service of repaired cables only. All new systems will be shipped with the needed Heat Shrink in place or available to be "heated" on (available from IFS).

Ring Terminal, size 12, is required for service only. All new systems will be shipped with the needed terminals in place (available from IFS).



Hole Saws Needed for Installations



These HOLE SAWS are called out in the Idle Free Installation Manual.

http://imperialsupplies.com/item/9107635



Options for Installation

installation Hydraulic Lift Table

Frame Clips
http://imperialsupplies.com/ite
m/0750700
FRAME CLIP WITH HOLE
1/8 - ¼,
PKG of 5

Frame Clips, not required; however, allow an alternative to tie strapping cables & hoses to the existing truck hoses and truck harnesses (available from IFS).

Hydraulic Lift Table is not required; however



makes APU installations easier by allowing the table to do the work of managing the 500# APU.

Options for

32 x 20" 660 lb. Standard Lift Table



PORTABLE

Giant **back saver** lifts heavy loads in the office, factory or warehouse.

- Foot pump hydraulically raises platform.
- · Easy-release lever to lower.
- · Overload valve protects pump and operator.
- Polyurethane casters: 2 swivel with brakes, 2 rigid.
- · View product video.



Midtronics EXP-1000 HD Heavy-Duty Expandable Electrical Diagnostic Platform

Fast, accurate testing for heavy-duty and commercial applications

The EXP-1000 HD from Midtronics was created specifically to provide unparalleled accuracy and flexibility in heavyduty commercial/fleet applications.

EXP-1000 HD products apply EXP technology to specific testing needs for this market, including:

- Battery pack testing
- Multiple battery system routines for up to 6 batteries
- Special commercial battery algorithms
- Application-specific test parameters for system and cable drop testing



http://www.midtronics.com/shop/products-1/battery-and-electrical-system-diagnostics/exp-series-expandable-electrical-diagnostics/midtronics-exp-1000hd-battery-test